## **PRODUCT COMPATIBILITY**

Brand	Company	Product Description	Application	Status
EPOXY		<u> </u>	T	1
LATAPOXY 300	Laticrete	Epoxy resin, hardener and	Three-part mix	Approved
		chemical resistant silica filler		
KERAPOXY	Mapei	Epoxy mortar and chemical	Two-part mix	Approved
		resistant no sagging grout		T. b. b. b. d.
Epoxy products na	ave to be tes	ted and approved before being used	directly on the elements	To be tested
MEMBRANE				
IVIEIVIDRAINE		Elevible liquid membrane for		
MAPEGUM WPS	Mapei	Flexible liquid membrane for waterproofing	Wet and dry areas	Approved
		Crack prevention and		
RED GARD	Custom	waterproofing membrane	Wet and dry areas	Approved
Self-stick membra	nes are not :			To be tested
Self-stick membranes are not approved unless tested Sheet membranes can be used when installed with an approved adhesive				To be tested
Sheet membranes	s can be asec	when instance with an approved at	anesive .	To be tested
MORTAR				
Laticrete # 254	Laticrete	Polymer fortified thin-set	Mix with water	Approved
Laticrete # 317	Laticrete	Non-modified thin-set	Mix with water	Approved
Laticrete # 333	Laticrete	Flexible latex additive	Added to Laticrete #317	Approved
KERABOND	Mapei	Dry-set mortar	Mix with water	Approved
KERALASTIC	Mapei	Flexible acrylic latex additive	Added to Kerabond	Approved
ULTRAFLEX 2	Mapei	Polymer modified mortar	Mix with water	Approved
ULTRACONTACT	Mapei	Polymer modified full contact	Mix with water	Approved
		mortar		
VERSABOND	Custom	Polymer modified thin-set mortar	Mix with water	Approved
Premix mortars that normally come in a bucket are not approved				Not approved
	•			
RESURFACER & P	RIMER			
Self-Leveling	Quikrete	Cement based self-leveling floor	Can also be used as a wear surface for light duty floors	Approved
		resurfacer		Approved
Primer #9902	Quikrete	Concrete bonding adhesive	Diluted with water	Approved
Most cement based levelers are approved, but the primer may not be approved				To be tested
ADHESIVE & SEAL	.ANT			
Adhesives, sealers, silicones, caulks, etc. have to be tested before being used directly on the				To be tested
elements				10 be tested
Most wood glues are not approved to be installed directly on the elements				Not approve
	Sika products, e.g. Bostick, are not approved			
Sika products, e.g	. Bostick, are	not approved		Not approved

Double coated tape to secure elements and wires to the floor

PET-TAPE

DUCT TAPE

Approved

Not approved